


TRANSPARENT SOUND ABSORBER

Clear hard-surfaced absorption panel for glazed/visual areas



MANUFACTURED AND DISTRIBUTED IN AUSTRALIA BY POLYVOX



www.polyvox.com.au 1300 479 566

POLYVOX deamp






PRODUCT DETAILS

- Acrylic PMMA panel for absorption where clear surfaces are required (i.e. glazed meeting room fronts)
- NRC of 0.55 (panel positioned 100mm from glazing)
- Only clear hard surfaced product on the market
- Developed in Norway, manufactured in Australia
- Utilises Helmholtz Resonator effect patented design
- Micro-slits cause friction losses on sound waves of a specific wavelength (speech frequencies)
- Applications:
 - Glazed Meeting Room fronts
 - Restaurants/Kitchens
 - Absorption in front of feature stone walls or similar
 - Atrium/Lobby glazing absorption
 - Hygienic and Wet areas (Labs, Food markets, Hospitals)
- Manufactured in Sydney with short lead times






- NRC of 0.55, tuned to peak at speech frequencies
- Above test includes a 100mm gap between glazing and DeAmp panel.
- Can be tuned to absorb certain frequencies to deal with specific problems (music rooms, plant rooms etc). Adjustment in cavity width, slot thickness, orientation, density etc.



MOUNTING HARDWARE

- Vertical wire mounting between ceiling and floor
- Top and bottom edge grippers
- Side mounted stand-offs
- Various other custom options



































CASE STUDY


POLYVOX deamp


Separating partitions between workstations













www.polyvox.com.au 1300 479 566



www.deamp.com + 47 95 92 96 10